Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

SMALLPOX IN THE UNITED STATES—Continued.

Reports Received from December 31, 1910, to March 31, 1911.

Place.	Date.	Cases.	Deaths.	Remarks.
Wisconsin:				
Counties—				
Ashland	Jan. 1–Feb. 28	6		
Barron	Jan. 1–31	3		
Buffalo	Feb. 1–28	1		
Chippewa	Dec. 1–Feb. 28	6		
Dane	Jan. 1–31	2		
Douglas	Feb. 1–28	1		
Dunn	Dec. 1–Feb. 28	13		
Eau Claire	Feb. 1–28	4		
Green	Jan. 1–31	2		
Iowa	Dec. 1–Feb. 28	46		
Jefferson	Dec. 1–Jan. 31	10		
Lafayette	Dec. 1–Feb. 28	11		
La Crosse	Dec. 1–Feb. 28	4		
Lincoln	Feb. 1–28	1		
Milwaukee	Dec. 1–Feb. 28	10		
Oneida	Dec. 1–Feb. 28	5		
Pierce	Feb. 1–28	1		
St. Croix	Dec. 1–Feb. 28	7		
Vernon	Jan. 1–Feb. 28	10		
Vilas	Dec. 1–31	1		
Walworth	Jan. 1–31	1		
Washington	Dec. 1–31	1		
Total for State		146		
Grand total for the United States.		8,060	33	

MORBIDITY AND MORTALITY.

MORBIDITY AND MORTALITY TABLE, CITIES OF THE UNITED STATES, FOR WEEK ENDED MARCH 18, 1911.

Cities.	Population, United States census 1910.	Total deaths, from all causes.	Diphtheria.		Measles.		Scarlet fever.		Smallpox.		Tuberculosis.		Typhoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having over 500,000 inhabitants.														
Baltimore, Md	558,485	235	31	1	260	8	32	....	1	....	34	30	9	2
Boston, Mass	670,585	275	42	2	133	1	48	6	....	....	60	29	8	....
Chicago, Ill	2,185,283	696	138	18	230	2	153	14	1	....	177	75	11	5
Cleveland, Ohio	560,663	161	26	2	95	....	102	1	1	....	35	16	6	....
New York, N. Y	4,766,883	1,633	358	34	673	17	539	31	....	....	626	164	19	4
Philadelphia, Pa	1,549,008	590	73	17	704	9	47	8	....	....	83	63	17	5
Pittsburg, Pa	533,905	173	16	....	54	2	12	....	....	....	31	22	9	2
St. Louis, Mo	687,029	....	....	....	....	....	....	....	....	....	....	....	....	....
Cities having from 300,000 to 500,000 inhabitants.														
Buffalo, N. Y	423,715	125	13	4	12	....	38	3	....	....	19	15	21	3
Cincinnati, Ohio	364,463	....	....	....	....	....	....	....	....	....	....	....	....	....
Detroit, Mich	465,766	152	26	1	....	....	20	1	....	....	6	9	1	....
Los Angeles, Cal	319,198	118	6	....	24	....	21	....	1	....	18	23	3	....
Milwaukee, Wis	373,857	122	26	3	18	3	38	1	....	....	17	12	8	....
Minneapolis, Minn	301,408	....	....	....	....	....	....	....	....	....	....	....	....	....
Newark, N. J	347,469	110	32	3	....	....	44	1	....	....	28	19	1	....
New Orleans, La	339,075	153	15	1	223	4	15	....	13	....	61	20	6	1
San Francisco, Cal	416,912	134	4	....	39	1	24	....	....	....	31	17	3	....
Washington, D. C	331,069	143	10	....	110	2	11	....	2	....	26	14	5	1

MORBIDITY AND MORTALITY—Continued.

Weekly morbidity and mortality table, cities of the United States, for week ended March 18, 1911—Continued.

Cities.	Population, United States, census 1910.	Total deaths, from all causes.	Diphtheria.		Measles.		Scarlet fever.		Smallpox.		Tuberculosis.		Typhoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having from 200,000 to 300,000 inhabitants.														
Denver, Colo	213,381	80	10	1	335	2	14	1	37			23		
Indianapolis, Ind	233,650													
Jersey City, N. J	267,779													
Kansas City, Mo	248,381													
Louisville, Ky	223,928													
Portland, Oreg	207,214													
Providence, R. I	224,326	86	5				11	1			7	17		
Rochester, N. Y	218,149													
St. Paul, Minn	214,744													
Seattle, Wash	237,194	50	1		94		6	1	17		4	6		
Cities having from 100,000 to 200,000 inhabitants.														
Albany, N. Y	100,253													
Atlanta, Ga	154,839													
Birmingham, Ala	132,685													
Bridgeport, Conn	102,054	22			11		3				1	4		
Cambridge, Mass	104 839	32	9		17		16	1			7	3	1	1
Columbus, Ohio	181,548	55			17		4				16	4	3	1
Dayton, Ohio	116,577	34	1		1		1					5	1	
Fall River, Mass	119,295	57	4	1	46	3	6				11	10	2	
Grand Rapids, Mich	112,571	44			100		11				1	4	11	1
Lowell, Mass	106,294	31	2	2	1						8	1		
Memphis, Tenn	131,105													
Nashville, Tenn	110,364	59			17	1	2	1	1		5	5	1	
New Haven, Conn	133,605													
Oakland, Cal	150,174	49	3		4		3				5	3	2	2
Omaha, Nebr	124,096													
Paterson, N. J	125,600													
Richmond, Va	127,628													
Scranton, Pa	129,867													
Spokane, Wash	104,402	28			40		5		1			2		
Syracuse, N. Y	137,249													
Toledo, Ohio	168,497	59	9	1	1		5		1		2	4	2	1
Worcester, Mass	145,986	64	7		6	1	9	2			11	4	2	
Cities having from 50,000 to 100,000 inhabitants.														
Akron, Ohio	69,067													
Allentown, Pa	51,913													
Altoona, Pa	52,127	13	2											
Bayonne, N. J	55,545		6		31		6				1			
Brockton, Mass	56,878	15			5		4				8	2		
Camden, N. J	94,538		2	1	4		1				2			
Canton, Ohio	50,217													
Charleston, S. C	58,833													
Covington, Ky	53,270	11	1		1		1				1	2		
Dallas, Tex	92,104													
Des Moines, Iowa	86,368						1		1					
Duluth, Minn	78,466				2		12				1	3	1	
East St. Louis, Ill	58,547													
Elizabeth, N. J	73,409	21	1	1			12	1				3		
Erie, Pa	66,525													
Evansville, Ind	69,647	19	3	1	92	1					4	4	4	
Fort Wayne, Ind	63,933	21	2				3				2	2		
Fort Worth, Tex	73,312													
Harrisburg, Pa	64,186	16	8		1		2		1		12	2		
Hartford, Conn	98,915													
Hoboken, N. J	70,324		3		35		2				1			
Holyoke, Mass	57,730													
Houston, Tex	78,800	31	1									6		1
Jacksonville, Fla	57,699	32			13	2	9		7		1	1	2	
Johnstown, Pa	55,482		1		6		2				11	2		
Kansas City, Kans	82,331	19			3		2		6		1	2		
Lawrence, Mass	85,892	22	4		4	1					1	2		

MORBIDITY AND MORTALITY—Continued.

Weekly morbidity and mortality table, cities of the United States, for week ended March 18, 1911—Continued.

Cities.	Population, United States, census 1910.	Total deaths, from all causes.	Diphtheria.		Measles.		Scarlet fever.		Smallpox.		Tuberculosis.		Typhoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having from 50,000 to 100,000 inhabitants—Continued.														
Lynn, Mass	89,336	25	3		9		6				6	4		
Manchester, N. H	70,063	23	2		3		1				2	2		
Mobile, Ala	51,521													
New Bedford, Mass	96,652	42			1		4				5	1	2	
Norfolk, Va	67,452													
Oklahoma City, Okla	64,205	23	2		13		3		1			2		
Passaic, N. J	54,773	7	3		10		1				2	1		
Pawtucket, R. I	51,622													
Peoria, Ill	66,950													
Portland, Me	58,571	16	2		3		1					1		
Reading, Pa	96,071													
Saginaw, Mich	50,510													
St. Joseph, Mo	77,403													
Salt Lake City, Utah	92,777													
San Antonio, Tex	96,614	13	3		5	1	4					9	1	
Savannah, Ga	65,064													
Schenectady, N. Y	72,826													
Somerville, Mass	77,236	26	3		28		2				3	1		
South Bend, Ind	53,684	12			13		10		1			1	1	
Springfield, Ill	51,678	15	4				5					2		
Springfield, Mass	88,926													
Tacoma, Wash	83,743	13			8		2		2					
Terre Haute, Ind	58,157													
Trenton, N. J	96,815	28	2				1				6	3	1	
Troy, N. Y	76,813													
Utica, N. Y	74,419	36	8		14		6				3	3		
Waterbury, Conn	73,141													
Wichita, Kans	52,450	11	2		22				1			1		
Wilkes-Barre, Pa	67,105	41					3				4	1	1	
Wilmington, Del	87,411	38						1				2		1
Yonkers, N. Y	79,803	24	4		12		23				3	2		
Youngstown, Ohio	79,066													
Cities having from 25,000 to 50,000 inhabitants.														
Amsterdam, N. Y	31,267													
Atlantic City, N. J	46,150	11			1									
Auburn, N. Y	34,668	24			4		2					3	1	1
Augusta, Ga	41,040													
Aurora, Ill	29,807	9	2											
Austin, Tex	29,860													
Battle Creek, Mich	25,267													
Bay City, Mich	45,166													
Berkeley, Cal	40,434													
Binghamton, N. Y	48,443	14	1	1	60	1			2	1	1	1		
Bloomington, Ill	25,768													
Brookline, Mass	27,792	9			8		1				1	1		
Butte, Mont	39,165													
Cedar Rapids, Iowa	32,811													
Charlotte, N. C	34,014													
Chattanooga, Tenn	44,604										2			
Chelsea, Mass	32,452	13	2		22						2			
Chester, Pa	38,537													
Chicopee, Mass	25,401	7	3									2	1	
Clinton, Iowa	25,577													
Colorado Springs, Colo	29,078													
Columbia, S. C	26,319													
Council Bluffs, Iowa	29,292													
Danville, Ill	27,871	4			1		1				1	1		
Davenport, Iowa	43,028													
Decatur, Ill	31,140													
Dubuque, Iowa	38,494	10					6	2						
Easton, Pa	28,523													
East Orange, N. J	34,371	3	3		5		6				1			
Elgin, Ill	25,976													
Elmira, N. Y	37,176													

MORBIDITY AND MORTALITY—Continued.

Weekly morbidity and mortality table, cities of the United States, for week ended March 18, 1911—Continued.

Cities.	Population, United States, census 1910.	Total deaths, from all causes.	Diphtheria.		Measles.		Scarlet fever.		Smallpox.		Tuberculosis.		Typhoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having from 25,000 to 50,000 inhabitants—Con.														
El Paso, Tex.	39,279													
Everett, Mass.	33,484	5	3		1						2	2		
Fitchburg, Mass.	37,826													
Flint, Mich.	38,550													
Galveston, Tex.	36,981													
Green Bay, Wis.	25,236													
Hamilton, Ohio	35,279													
Haverhill, Mass.	44,115	16	1				3				1			
Hazelton, Pa.	25,452		3											
Huntington, W. Va.	31,161													
Jackson, Mich.	31,433													
Jamestown, N. Y.	31,297													
Joliet, Ill.	34,670													
Joplin, Mo.	32,073													
Kalamazoo, Mich.	39,437	20			19		1				1	1		
Kingston, N. Y.	25,908													
Knoxville, Tenn.	36,346	11			31				6			3		1
La Crosse, Wis.	30,417	15	1		6		2		2			2		
Lancaster, Pa.	47,227	19	4		1		1				1	3		
Lansing, Mich.	31,229													
Lewiston, Me.	26,247													
Lexington, Ky.	35,099	17			3		1	1	1		2			
Lima, Ohio	30,508													
Lincoln, Nebr.	43,973													
Little Rock, Ark.	45,941													
Lorain, Ohio	28,883													
Lynchburg, Va.	29,494	8	1								2		1	
Macon, Ga.	40,665													
Madison, Wis.	25,531													
Malden, Mass.	44,404	16	2	1	4		1				2			
McKeesport, Pa.	42,694													
Meriden, Conn.	27,265													
Montgomery, Ala.	38,136	18			46						2	1		
Mount Vernon, N. Y.	30,919	9			1		5							
Muskogee, Okla.	25,278													
Nashua, N. H.	26,005													
Newark, Ohio	25,404													
New Britain, Conn.	43,916													
Newburgh, N. Y.	27,805													
Newcastle, Pa.	36,280						1						1	
Newport, Ky.	30,309	10					2				1	1		
Newport, R. I.	27,149													
New Rochelle, N. Y.	28,867													
Newton, Mass.	39,806	11	11				1						1	
Niagara Falls, N. Y.	30,445	17	4										16	2
Norristown, Pa.	27,875	10	2		7		2				3	1	3	
Ogden, Utah	25,580													
Orange, N. J.	29,630	11	2		3		2				1	1	1	
Oshkosh, Wis.	33,062													
Pasadena, Cal.	30,291	13												
Perth Amboy, N. J.	32,121													
Pittsfield, Mass.	32,121	8									2	2		
Portsmouth, Va.	33,190	9			21		2		2					
Poughkeepsie, N. Y.	27,936	17			14		9				1	1	1	
Pueblo, Colo.	44,395													
Quincy, Ill.	36,587													
Quincy, Mass.	32,642													
Racine, Wis.	38,002	10	2	1			3					1		1
Roanoke, Va.	34,874	11			2							1	3	1
Rockford, Ill.	45,401													
Sacramento, Cal.	44,696	12										2	1	
Salem, Mass.	43,697	16		1								3		
San Diego, Cal.	39,578													
San Jose, Cal.	28,946	8					1							3
Sheboygan, Wis.	26,398													
Shenandoah, Pa.	25,774													
Shreveport, La.	28,015													
Sioux City, Iowa	47,828		2				3		5					
South Omaha, Nebr.	26,259													

MORBIDITY AND MORTALITY—Continued.

Weekly morbidity and mortality table, cities of the United States, for week ended March 18, 1911—Continued.

Cities.	Population, United States, census 1910.	Total deaths, from all causes.	Diphtheria.		Measles.		Scarlet fever.		Smallpox.		Tuberculosis.		Typhoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
***Cities having from 25,000 to 50,000 inhabitants*—Con.**														
Springfield, Mo	35,201													
Springfield, Ohio	46,921						1		2		6		1	
Stamford, Conn	25,138													
Superior, Wis	40,384	11							2			1		
Tampa, Fla	37,782													
Taunton, Mass	34,259	12					3							
Topeka, Kans	43,684													
Waco, Tex	26,425													
Waltham, Mass	27,834	13	3										2	
Warwick, R. I	26,629													
Waterloo, Iowa	26,693													
Watertown, N. Y	26,730													
West Hoboken, N. J	35,403													
Wheeling, W. Va	41,641	16			3						2	1	1	
Williamsport, Pa	31,860	9					3							
Wilmington, N. C	25,748													
Woonsocket, R. I	38,125													
York, Pa	44,750	11	4				1							
Zanesville, Ohio	28,026	6										1	13	1
Cities having less than 25,000 inhabitants.														
Ann Arbor, Mich	14,817	4			5							1		
Ashtabula ,Ohio	18,266	5												
Beaver Falls, Pa	12,191	0			8						1		2	
Bennington, Vt	8,698	11			1									
Biddeford, Me	17,079	12										2		
Braddock, Pa	19,357	6	1		18							2		
Butler, Pa	20,728	7	1		16									
Cambridge, Ohio	11,327	2												
Camden, S. C		3					1							
Carbondale, Pa	17,040	5												
Clinton, Mass	13,075	3	1											
Coffeyville, Kans	12,687	2							1		1			
Columbus, Ga	20,554	9												
Columbus, Ind		4										1		
Concord, N. J	21,497	5			3								1	
Cumberland, Md	21,839	9	2									2	1	1
Dunkirk, N. Y		4	1				1							
Freeport, Ill	17,567	5					2							
Galesburg, Ill	20,089	2					1							
Gloucester, Mass	24,398	10										1		
Greensboro, N. C	15,895													
Harrison, N. J	14,498	3	1											
Homestead, Pa	18,713	3			2									
Hyde Park, Mass	15,507	4									1			
Kearny, N. J	18,659	7									1			
Kokomo, Ind	17,010													
Lafayette, Ind	20,081	6							1					
Lebanon, Pa	19,240	6									6	2	1	1
Manistee, Mich	12,381													
Manitowoc, Wis	13,027	4									3	1		
Marinette, Wis	14,610	3									1	1	1	
Marlboro, Mass	14,579	5												
Massillon, Ohio	13,879	4	2	1	4		5							
Medford, Mass	23,150	9	1								1	1		
Melrose, Mass	15,715	4	4		1								2	
Moline, Ill	24,199	7	3		14		7		1					
Montclair, N. J	21,550	4			2		1					1		
Nanticoke, Pa	18,877	4	3								3			
Newburyport, Mass	14,949	4										1		
North Adams, Mass	22,019	6			2							1	1	
Northampton, Mass	19,431	13	1								2		1	
Ottumwa, Iowa	22,012	12										1		
Paducah, Ky	22,760	15			18		1		3			4		

MORBIDITY AND MORTALITY—Continued.

Weekly morbidity and mortality table, cities of the United States, for week ended March 18, 1911—Continued.

Cities.	Population, United States, census 1910.	Total deaths, from all causes.	Diphtheria.		Measles.		Scarlet fever.		Smallpox.		Tuberculosis.		Typhoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having less than 25,000 inhabitants—Con.														
Palmer, Mass		4	1											
Peekskill, N. Y		5										1		
Plainfield, N. J	20,550		1		1		4	1			2			1
Portsmouth, N. H	11,209				29		2							
Rock Island, Ill		14	4		15								38	4
Rutland, Vt	13,546	3	1											
Saratoga Springs, N. Y		6	1										2	1
South Bethlehem, Pa	19,973	8									2		1	
Steelton, Pa	14,246	4	1								7	1		
Warren, Ohio	11,081	2	1		1									
Wilkinsburg, Pa	18,924	6									2			
Woburn, Mass	15,308	5	4	1								1		

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES OF THE UNITED STATES (untabulated).

FLORIDA.—Week ended March 18, 1911. Reports from the State board of health show diphtheria present in 1 locality with 1 case, smallpox in 12 counties with 103 cases, malaria in 4 localities with 53 cases, tuberculosis in 9 localities with 14 cases, typhoid fever in 7 localities with 10 cases.

INDIANA.—Month of January, 1911. Population, 2,700,876. Total number of deaths from all causes 3,259, including diphtheria 35, measles 17, scarlet fever 26, tuberculosis 389, typhoid fever 39. Cases reported: Diphtheria 279 in 51 counties, scarlet fever 818 in 54 counties, smallpox 155 in 12 counties, typhoid fever 115 in 35 counties.

KANSAS.—Month of January, 1911. Population, 1,690,949. Total number of deaths from all causes not reported. Deaths from contagious diseases include diphtheria 6, measles 5, scarlet fever 19, tuberculosis 55, typhoid fever 10. Cases reported: Diphtheria 92, measles 787, scarlet fever 579, smallpox 160, tuberculosis 258, typhoid fever 46.

MARYLAND.—Month of December, 1910. Population, 1,295,346. Total number of deaths from all causes 1,043, including diphtheria 22, measles 2, scarlet fever 1, tuberculosis 101, typhoid fever 38. Cases reported: Diphtheria 76, measles 70, scarlet fever 54, typhoid fever 246.

Typhoid fever was distributed as follows: Potomac River watershed 114 cases, Patapsco River watershed 11 cases, Patuxent River